Safety Data Sheet

Issue Date: 17-Jan-2017 Version 1

1. IDENTIFICATION

Product Identifier

Product Name ALK 14

Other means of identification

Product Code DSALK-5 UN/ID No UN3266

Recommended use of the chemical and restrictions on use
Recommended Use Alkalinity Booster

Details of the supplier of the safety data sheet

Supplier Address

Allcare Vehicle Wash Solutions 1/10 Access Way Carrum Downs VIC 3201

Emergency Telephone Number

Company Phone Number 1 300 323 150

Emergency Telephone (24 hr) 1 800 334 556 (Australia)

2. HAZARDS IDENTIFICATION

Appearance Yellow liquid Physical State Liquid

Classification

| Skin corrosion/irritation | Category 1 Sub-category B |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | Category 1 |

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



<u>Precautionary Statements - Prevention</u>

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting Immediately call a poison center or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|------------------------------|-----------|----------|
| Caustic Soda | 1310-73-2 | 20-25 |
| Caustic Potash (KOH) Liq 45% | 1310-58-3 | <5 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center or doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation persists, call

a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician. Artificial respiration and/or

oxygen may be necessary.

Ingestion IF SWALLOWED: call a poison control center or physician immediately. If conscious give 2

glasses of water to dilute. Never give anything by mouth to an unconscious person. Do not

induce vomiting.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. Headache. Nausea. Dizziness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Sand/earth.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

Hazardous Combustion Products None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain spilled material if possible.

Absorb with materials such as: Dirt. Sand. Sawdust.

Methods for Clean-Up Transfer liquid and solid material into suitable containers in accordance with local, state and

federal regulations for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Follow all product label instructions. Use only as directed.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Store away from heat and incompatible materials.

Incompatible Materials Acids. Soft metals. Store away from oxidizing agents/reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------|------------------------------|--|------------------------------|
| Caustic Soda | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| Caustic Potash (KOH) Liq 45% | Ceiling: 2 mg/m ³ | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| 1310-58-3 | | | |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical anti-splash safety goggles.

Skin and Body Protection Protective gloves. Wear suitable protective clothing to prevent contact with skin.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin

thoroughly after handling. Protective clothing and equipment should be in accordance with

29 CFR 1910.132 and 1910.133.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceYellow liquidOdorNot determinedColorYellowOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 13.0-14.0

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range > 100 °C / > 212 °F

Flash Point Not applicable

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Not available
Liquid-not applicable
Not applicable

Lower Flammability Limit
Vapor Pressure
Vapor Density
Not available
Not available
Not available
1.302

Specific Gravity 1.302 @ 25 °C (77 °F) (1=Water)

Water Solubility

Solubility in other solvents

Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity

Dynamic Viscosity

Completely soluble
Not determined

Explosive PropertiesNot an explosive **Oxidizing Properties**Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Excessive heat.

Incompatible Materials

Acids. Soft metals. Store away from oxidizing agents/reducing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-------------------|-----------------------|-----------------|
| Water | > 90 mL/kg (Rat) | - | - |
| 7732-18-5 | | | |
| Caustic Soda | - | = 1350 mg/kg (Rabbit) | - |
| 1310-73-2 | | | |
| Caustic Potash (KOH) Liq 45% 1310-58-3 | = 214 mg/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--|----------------------|---|----------------------------|-----------|
| Caustic Soda 1310-73-2 | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |
| Caustic Potash (KOH) Liq 45% 1310-58-3 | | 80: 96 h Gambusia affinis mg/L LC50 static | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|------------------------------|-----------------------|
| Caustic Potash (KOH) Liq 45% | 0.83 |
| 1310-58-3 | |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Caustic Soda | Toxic |
| 1310-73-2 | Corrosive |
| Caustic Potash (KOH) Liq 45% | Toxic |
| 1310-58-3 | Corrosive |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Potassium hydroxide)

Hazard Class 8
Packing Group | |

<u>IATA</u>

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Potassium hydroxide)

Hazard Class 8
Packing Group II

IMDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Potassium hydroxide)

Hazard Class 8
Packing Group II

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------------------|--------------------------|----------------|--------------------------|
| Caustic Soda | 1000 lb | | RQ 1000 lb final RQ |
| 1310-73-2 | | | RQ 454 kg final RQ |
| Caustic Potash (KOH) Liq 45% | 1000 lb | | RQ 1000 lb final RQ |
| 1310-58-3 | | | RQ 454 kg final RQ |

SARA 313

Not determined

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Component | CWA - Reportable | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous |
|--|------------------|------------------------|---------------------------|-----------------|
| | Quantities | | | Substances |
| Caustic Soda 1310-73-2 (20-25) | 1000 lb | | | X |
| Caustic Potash (KOH) Liq 45% 1310-58-3 (<5) | 1000 lb | | | X |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Caustic Soda 1310-73-2 | X | X | X |
| Caustic Potash (KOH) Liq 45% 1310-58-3 | X | X | X |

16. OTHER INFORMATION

NFPA Health Hazards Flammability Instability **Special Hazards** Not determined Not determined Not determined Not determined **Flammability Health Hazards Physical Hazards Personal Protection HMIS** Not determined 0 0

Manufacturer's Product Code: 26030, 26015, 2605, BE845

OrganisationLocationTelephoneManufacturer: Diamond Shine Inc.1340 E. 289 St.800-843-7627

Wickliffe, OH 44092 United States of America

Issue Date: 17-Jan-2017

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet