

# Safety Data Sheet

Issue Date: 17-Jan-2017

Version 1

## 1. IDENTIFICATION

### Product Identifier

Product Name **ASSAULT**

### Other means of identification

SDS #

Product Code ASSAULT PRODUCT CODES: DSAS-5, DSAS-55  
UN/ID No UN3266

### Recommended use of the chemical and restrictions on use

Recommended Use Alkaline Presoak

### Details of the supplier of the safety data sheet

#### Supplier Address

Allcare Vehicle Wash Solutions  
1/10 Access Way  
Carrum Downs VIC 3201

### Emergency Telephone Number

Company Phone Number 1 300 323 150  
Emergency Telephone (24 hr) 1 800 334 556 (Australia)

## 2. HAZARDS IDENTIFICATION

Appearance Light yellow liquid

Physical State Liquid

### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage



### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

## ASSAULT

### Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Immediately call a poison center or doctor/physician

### Precautionary Statements - Storage

Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Unknown Acute Toxicity

10% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Caustic Soda	1310-73-2	5-20
Sodium dodecyl benzene sulphonate	25155-30-0	0-5
Trisodium Nitrilotriacetate	5064-31-3	<1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

### First Aid Measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician. Artificial respiration and/or oxygen may be necessary.
<b>Ingestion</b>	IF SWALLOWED: call a poison control center or physician immediately. If conscious give 2 glasses of water to dilute. Never give anything by mouth to an unconscious person. Do not induce vomiting.

### Most important symptoms and effects

<b>Symptoms</b>	Causes severe skin burns and eye damage. Headache. Nausea. Dizziness.
-----------------	---

### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Sand/earth.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

**Hazardous Combustion Products** None known.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Contain spilled material if possible. Absorb with materials such as: Dirt. Sand. Sawdust.

**Methods for Clean-Up** Transfer liquid and solid material into suitable containers in accordance with local, state and federal regulations for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Follow all product label instructions. Use only as directed.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Store away from heat and incompatible materials.

**Incompatible Materials** Acids. Soft metals. Store away from oxidizing agents/reducing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Caustic Soda 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Chemical anti-splash safety goggles.

**Skin and Body Protection** Protective gloves. Wear suitable protective clothing to prevent contact with skin.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

**General Hygiene Considerations** Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling. Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and 1910.133.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Not determined
<b>Appearance</b>	Light yellow liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Light yellow		

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
<b>pH</b>	13.0-14.0	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	> 100 °C / > 212 °F	
<b>Flash Point</b>	Not applicable	
<b>Evaporation Rate</b>	Not available	
<b>Flammability (Solid, Gas)</b>	Liquid-not applicable	
<b>Upper Flammability Limits</b>	Not applicable	
<b>Lower Flammability Limit</b>	Not applicable	
<b>Vapor Pressure</b>	Not available	
<b>Vapor Density</b>	Not available	
<b>Specific Gravity</b>	1.116-1.234	@ 25 °C (77 °F) (1=Water)
<b>Water Solubility</b>	Completely soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	8-18 cSt	
<b>Explosive Properties</b>	Not an explosive	
<b>Oxidizing Properties</b>	Not determined	

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## ASSAULT

### Conditions to Avoid

Excessive heat.

### Incompatible Materials

Acids. Soft metals. Store away from oxidizing agents/reducing agents.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not taste or swallow.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Caustic Soda 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
Sodium dodecyl benzene sulphonate 25155-30-0	= 438 mg/kg ( Rat )	-	-
Trisodium Nitritotriacetate 5064-31-3	= 920 mg/kg ( Rat )	-	> 5 mg/L ( Rat ) 4 h

### Information on physical, chemical and toxicological effects

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.
------------------------	---

Chemical Name	ACGIH	IARC	NTP	OSHA
Trisodium Nitritotriacetate 5064-31-3		Group 2B		X

*IARC (International Agency for Research on Cancer)*

*Group 2B - Possibly Carcinogenic to Humans*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

*X - Present*

### Numerical measures of toxicity

Not determined

<b>Unknown Acute Toxicity</b>	10% of the mixture consists of ingredient(s) of unknown toxicity.
-------------------------------	---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Caustic Soda 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Sodium dodecyl benzene sulphonate 25155-30-0		10.8: 96 h Oncorhynchus mykiss mg/L LC50 static		
Trisodium Nitrilotriacetate 5064-31-3	560 - 1000: 96 h Chlorella vulgaris mg/L EC50	93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through 175 - 225: 96 h Lepomis macrochirus mg/L LC50 static 252: 96 h Lepomis macrochirus mg/L LC50 470: 96 h Pimephales promelas mg/L LC50 static 560 - 1000: 96 h Oryzias latipes mg/L LC50 560 - 1000: 96 h Oryzias latipes mg/L LC50 semi-static 72 - 133: 96 h Oncorhynchus mykiss mg/L LC50 static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 114: 96 h Pimephales promelas mg/L LC50		560 - 1000: 48 h Daphnia magna mg/L LC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

### Mobility

Not determined

### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

#### **Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Caustic Soda 1310-73-2	Toxic Corrosive

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

**DOT**

UN/ID No UN3266  
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)  
Hazard Class 8  
Packing Group II

**IATA**

UN/ID No UN3266  
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)  
Hazard Class 8  
Packing Group II

**IMDG**

UN/ID No UN3266  
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)  
Hazard Class 8  
Packing Group II

**15. REGULATORY INFORMATION****International Inventories**

TSCA Listed

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

## ASSAULT

### US Federal Regulations

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium dodecyl benzene sulphonate 25155-30-0	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

#### SARA 313

Not determined

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda 1310-73-2 ( 5-20 )	1000 lb			X
Sodium dodecyl benzene sulphonate 25155-30-0 ( 0-5 )	1000 lb			X

### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Caustic Soda 1310-73-2	X	X	X
Sodium dodecyl benzene sulphonate 25155-30-0	X	X	X
Trisodium Nitrilotriacetate 5064-31-3		X	



**16. OTHER INFORMATION**

<b>NEPA</b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b>HMIS</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Physical Hazards</b> 0	<b>Personal Protection</b> Not determined

**Manufacturer's Product Code:** 94055, 94030, 94015, 9405

<b><u>Organisation</u></b>	<b><u>Location</u></b>	<b><u>Telephone</u></b>
Manufacturer: Diamond Shine Inc.	1340 E. 289 St. Wickliffe, OH 44092 United States of America	800-843-7627

**Issue Date:** 17-Jan-2017

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**