Safety Data Sheet

Issue Date: 18-Jan-2017 Version 1

1. IDENTIFICATION

Product Identifier

Product Name GREEN N CLEAN

Other means of identification

SDS#

Product Code PRODUCT CODE: DSGNC-5

UN/ID No UN3266

Recommended use of the chemical and restrictions on use

Recommended UseAlkaline Presoak and Tire Cleaner

Details of the supplier of the safety data sheet

Supplier Address

Allcare Vehicle Wash Solutions 1/10 Access Way Carrum Downs VIC 3201

Emergency Telephone Number

Company Phone Number 1 300 323 150

Emergency Telephone (24 hr) 1 800 334 556 (Australia)

2. HAZARDS IDENTIFICATION

Appearance Green liquid Physical State Liquid

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

GREEN N CLEAN

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting Immediately call a poison center or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown Acute Toxicity

6% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Tetrapotassium pyrophosphate	7320-34-5	<5
Caustic Potash (KOH) Liq 45%	1310-58-3	<10
Trisodium Nitrilotriacetate	5064-31-3	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center or doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation persists, call

a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician. Artificial respiration and/or

oxygen may be necessary.

Ingestion IF SWALLOWED: call a poison control center or physician immediately. If conscious give 2

glasses of water to dilute. Never give anything by mouth to an unconscious person. Do not

induce vomiting.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. Headache. Nausea. Dizziness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Sand/earth.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

Hazardous Combustion Products None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain spilled material if possible.

Absorb with materials such as: Dirt. Sand. Sawdust.

Methods for Clean-Up

Transfer liquid and solid material into suitable containers in accordance with local, state and

federal regulations for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Follow all product label instructions. Use only as directed.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Store away from heat and incompatible materials.

Incompatible Materials Acids. Soft metals. Store away from oxidizing agents/reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Caustic Potash (KOH) Liq 45%	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
1310-58-3			

Appropriate engineering controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical anti-splash safety goggles.

Skin and Body Protection Protective gloves. Wear suitable protective clothing to prevent contact with skin.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin

thoroughly after handling. Protective clothing and equipment should be in accordance with

29 CFR 1910.132 and 1910.133.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceGreen liquidOdorNot determinedColorGreenOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 13.0-13.8

Melting Point/Freezing PointNot determinedBoiling Point/Boiling Range> 100 °C / > 212 °FFlash PointNot applicableEvaporation RateNot available

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Liquid-not applicable
Not applicable
Not applicable
Not available
Not available

Specific Gravity 1.085-1.180 @ 25 °C (77 °F) (1=Water)

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not an explosive **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Excessive heat.

Incompatible Materials

Acids. Soft metals. Store away from oxidizing agents/reducing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Tetrapotassium pyrophosphate 7320-34-5	-	> 4640 mg/kg (Rabbit)	-
Caustic Potash (KOH) Liq 45% 1310-58-3	= 214 mg/kg (Rat)	-	-
Trisodium Nitrilotriacetate 5064-31-3	= 920 mg/kg (Rat)	-	> 5 mg/L (Rat)4 h

Information on physical, chemical and toxicological effects

Please see section 4 of this SDS for symptoms. **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Trisodium Nitrilotriacetate		Group 2B		X
5064-31-3		•		

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 6% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrapotassium		100: 96 h Oncorhynchus		100: 48 h water flea mg/L
pyrophosphate		mykiss mg/L LC50		EC50
7320-34-5				
Caustic Potash (KOH) Liq		80: 96 h Gambusia affinis		
45%		mg/L LC50 static		
1310-58-3		S		
Trisodium Nitrilotriacetate	560 - 1000: 96 h Chlorella	93 - 170: 96 h Pimephales		560 - 1000: 48 h Daphnia
5064-31-3	vulgaris mg/L EC50	promelas mg/L LC50		magna mg/L LC50
		flow-through 175 - 225: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 252: 96 h		
		Lepomis macrochirus mg/L		
		LC50 470: 96 h Pimephales		
		promelas mg/L LC50 static		
		560 - 1000: 96 h Oryzias		
		latipes mg/L LC50 560 -		
		1000: 96 h Oryzias latipes		
		mg/L LC50 semi-static 72 -		
		133: 96 h Oncorhynchus		
		mykiss mg/LLC50 static 560		
		- 1000: 96 h Poecilia		
		reticulata mg/L LC50		
		semi-static 560 - 1000: 96h		
		Poecilia reticulata mg/L		
		LC50 114: 96 h Pimephales		
		promelas mg/L LC50		

GREEN N CLEAN

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Caustic Potash (KOH) Liq 45%	0.83
1310-58-3	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Caustic Potash (KOH) Liq 45%	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)

Hazard Class 8
Packing Group II

<u>IATA</u>

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)

Hazard Class 8
Packing Group II

IMDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)

Hazard Class 8
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Potash (KOH) Liq 45%	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

SARA 313

Not determined

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Potash (KOH) Liq 45%	1000 lb			X
1310-58-3 (<5)				

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Caustic Potash (KOH) Liq 45% 1310-58-3	X	X	X
Trisodium Nitrilotriacetate 5064-31-3		X	

16. OTHER INFORMATION

Health Hazards Special Hazards NFPA Flammability Instability Not determined Not determined Not determined Not determined **Health Hazards Flammability Physical Hazards Personal Protection HMIS** Not determined 0

Manufacturer's Product Code: 71055, 71030, 71015, 7105

OrganisationLocationTelephoneManufacturer: Diamond Shine Inc.1340 E. 289 St.800-843-7627

Wickliffe, OH 44092 United States of America

Issue Date: 18-Jan-2017

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet