

ACCORDING TO US CFR 1910.1200

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

 1.1
 Product identifier

 Product Name
 Wowo's Fallout Remover

 CAS No.
 Not applicable.

 1.2
 Relevant identified uses of the substance or mixture and uses advised against Identified Use(s)

 Car Care Product
 Cleaning Product

Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet

Manufacturer:-

Company Identification Address of Manufacturer

Zip code Telephone: Fax E-mail Office hours

Supplier:-

Company Identification Address of Supplier

Postcode Telephone: E-mail

Emergency Phone No.

Detailing Factory Ltd Unit 3 Block C Kelburn Business Park PA14 6TD 03451 930390 Not known. sales@wowos.co.uk 09:00 - 17:00

CarCareCo Pty Ltd 1/10 Access Way Carrum Downs VIC 3201 1300 323 150 sales@carcareco.com.au

131126



SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture US CFR 1910.1200 Acute Tox. 4: Harmful if swallowed. Skin Sens. 1: May cause an allergic skin reaction.		
2.2 Label elements Product Name	According to US CFR 1910.1200 Wowo's Fallout Remover	
Product Name	wowos Fallout Remover	
Hazard Pictogram(s)		
Signal Word(s)	Warning	
Hazard Statement(s)	H302: Harmful if swallowed. H317: May cause an allergic skin reaction.	
Precautionary Statement(s)	 P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. 	
2.3 Other hazards	None known.	
2.4 Additional Information	For full text of H/P Statements see section 16.	



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
sodium mercaptoacetate	367-51-1	40%	Met. Corr. 1 H290 Acute Tox. 3 H301 Acute Tox. 4 H312 Skin Sens. 1 H317	GHS05 GHS07
Isotridecanol, ethoxylated	9043-30-5	1-10%		None
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0		Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2A H319	GHS07
Poly(oxy-1,2-ethanediyl), α-sulfo-ω-(dodecyloxy)-, sodium salt (1:1)	9004-82-4	1-10%	Acute Tox. 4 H302	GHS07

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measure	S
Inhalation	Treat symptomatically.
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label).
Eye Contact	Treat symptomatically.
Ingestion	Rinse mouth. Immediately call a POISON CENTER/doctor.
4.2 Most important symptoms and e	effects, both acute and delayed Allergic contact dermatitis.
4.3 Indication of any immediate me	dical attention and special treatment needed Specific treatment (see Medical Advice on this label). Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1	Extinguishing media
Suita	able Extinguishing media
Unsu	uitable extinguishing media

As appropriate for surrounding fire. None.



5.2	-1		
		May decompose in a fire, giving off toxic and irritant vapours.	
5.3	Advice for firefighters		
		Fire fighters should wear complete protective clothing including self-contained breathing apparatus.	
SEC	CTION 6: ACCIDENTAL RELEASE M	EASURES	
6.1	Personal precautions, protective	ve equipment and emergency procedures	
		Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.	
6.2	Environmental precautions		
		Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.	
6.3	Methods and material for conta	inment and cleaning up	
		Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.	
6.4	Reference to other sections		
		See Also Section 8, 13.	
SEC	TION 7: HANDLING AND STORAGE		

7.1 Precautions for safe handling

Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.
 7.2 Conditions for safe storage, including any incompatibilities

Storage temperatureAmbient.Storage lifeStable under normal conditions.Incompatible materialsNone known.7.3Specific end use(s)

Car Care Product Cleaning Product





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
Thioglycolic acid and	367-51-1	1	3.8			ACGIH TLV, Skin,
salts						DSEN

Remark ACGIH TLV Skin DSEN Notes The American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®) 2018 Danger of cutaneous absorption May cause dermal sensitization

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment

\bigcirc	Eye Protection	Wear eye protection with side protection (EN166).
	Skin protection	Wear protective clothing and gloves: Impervious gloves (EN 374).
	Respiratory protection	A suitable mask with filter type A (EN14387 or EN405) may be appropriate.
	Thermal hazards	None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical a Appearance	and chemical properties Liquid.
Odour Odour threshold pH Melting point/freezing point Initial boiling point and boiling range Flash Point	Colour: Pale yellow. Slight smell of lemon. Not known. Not known. Not known. Not known. Not known.
Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits	Not known. Not known. Not known.
Vapour pressure Vapour density	Not known. Not known.
Density (g/ml) Relative density Solubility(ies)	Not known. Not known. Solubility (Water): Not known.
Partition coefficient: n-octanol/water Not	Solubility (Other): Not known.
ignition temperature Decomposition Temperature (°C) Viscosity	Not known. Not known. Not known.
Explosive properties Oxidising properties 9.2 Other information	Not known. Not known.
	None.

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	None anticipated.
10.2	Chemical Stability	Stable under normal conditions.
10.3	Possibility of hazardous reacti	ons No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	None anticipated.
10.5	Incompatible materials	Not known.



10.6 Hazardous decomposition products No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological e Acute toxicity - Ingestion	effects Calculation method: Harmful if swallowed. Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 328.95000
Acute toxicity - Skin Contact	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 3666.67000
Acute toxicity - Inhalation Skin corrosion/irritation Serious eye damage/irritation Skin sensitization data Respiratory sensitization data	Not classified. Not classified. Not classified. Calculation method: May cause an allergic skin reaction. Not classified.
Germ cell mutagenicity Carcinogenicity Reproductive toxicity Lactation STOT - single exposure STOT - repeated exposure Aspiration hazard 11.2 Other information	Not classified. Not classified. Not classified. Not classified. Not classified. Not classified. Not classified.
	Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxici	ty - Aquatic invertebrates	Low toxicity to invertebrates.	
Toxici	ty - Fish	Low toxicity to fish.	
Toxici	ty - Algae	Low toxicity to algae.	
Toxici	ty - Sediment Compartment	Not classified.	
Toxici	ty - Terrestrial Compartment	Not classified.	
12.2	Persistence and Degradation		
		Not known.	
12.3	Bioaccumulative potential		
		Not known.	



12.4 12.5	Mobility in soil Other adverse effects	Not known. Not known.
SECT	ION 13: DISPOSAL CONSIDERATI	ONS
13.1	Waste treatment methods	Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.
13.2	Additional Information	
		Disposal should be in accordance with local, state or national legislation.
SECT	ION 14: TRANSPORT INFORMATI	ON
Not cl	lassified as hazardous for transport.	
14.1	UN number	Not applicable
14.2	UN proper shipping name	Not applicable
14.3	Transport hazard class(es)	Not applicable
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not classified as a Marine Pollutant.
14.6	Special precautions for user	Not known
14.7	Transport in bulk according to	Annex II of Marpol and the IBC Code Not known
SECT	ION 15: REGULATORY INFORMA	τιον

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations	
Toxic and hazardous substances (29	Not listed
CFR 1910; Subpart Z)	
National emission standards for	Not listed
hazardous air pollutants (40 CFR 61.01)	



SARA Title III Section 313 TSCA (Toxic Substance Control Act)	Not listed Listed: 367-51-1 (Active), 7732- (Active), 9004-82-4 (Active)	18-5 (Active), 9043-30-5 (Active), 61789-40-0
CAA 602 - Ozone Depleting Substances (ODS) 15.2 US State Regulations State Right to Know Lists	Not listed	
Proposition 65 (California)		Not listed
Minnesota		Not listed
New Jersey		Not listed
Pennsylvania		Not listed
Rhode Island		Not listed
15.3 Other		
OSPAR List of Chemicals for Priority Action	on	Not listed
OSHA (List of Highly Hazardous Chemica	als, Toxics and Reactives)	Not listed
NTP (National Toxicology Program)		Not listed
IARC (International Agency for Research	on Cancer)	Not listed

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS05: GHS: Corrosion GHS06: GHS: Skull and crossbones

Hazard classification

Met. Corr. 1: Substance or mixture corrosive to metals, Category 1 Acute Tox. 3: Acute toxicity, Category 3 Acute Tox. 4: Acute toxicity, Category 4 Acute Tox. 4: Acute toxicity, Category 4 Skin Irrit. 2: Skin corrosion/irritation, Category 2 Skin Sens. 1: Skin sensitization, Category 1 Eye Irrit. 2A: Serious eye damage/irritation, Category 2A



Hazard Statement(s)	 H290: May be corrosive to metals. H301: Toxic if swallowed. H302: Harmful if swallowed. H312: Harmful in contact with skin. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.
Precautionary Statement(s)	 P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352: IF ON SKIN: Wash with plenty of water. P321: Specific treatment (see Medical Advice on this label). P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.
Acronyms	P501: Dispose of contents in accordance with local, state or national legislation. CAS: Chemical Abstracts Service LTEL: Long term exposure limit STEL: Short term exposure limit STOT: Specific Target Organ Toxicity
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Detailing Factory Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Detailing Factory Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.