Trade name: Gentle Snow Foam Product no.: 383999 Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

Gentle Snow Foam

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Cleaner

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) For information in the event of an emergency during transport: +44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Irrit. 2; H319

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Causes serious eye irritation.

KochChemie[®] ExcellenceForExperts.

Trade name: Gentle Snow Foam

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

EUH208

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Supplemental label elements Regulation (EC) No 648/2004 on detergents (Annex VII): 5-15% anionic surfactants <5% amphoteric surfactants <5% Phosphonate, Phosphate Perfumings COUMARIN BENZISOTHIAZOLINONE LAURYLAMINE DIPROPYLENEDIAMINE SODIUM PYRITHIONE

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	nal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concer	ntration	%
	REACH no				
1	Sulfuric acid, mon	o-C12-14-alkyl esters, sodium salts, bulk density			
	>=400 g/l				
	85586-07-8	Acute Tox. 4; H302	>=	5.00 - < 10.00	wt%
	287-809-4	Skin Irrit. 2; H315			
	-	Eye Dam. 1; H318			
	01-2119489463-28	Aquatic Chronic 3; H412			
2	Sulfonic acids, C14	4-17-sec-alkane, sodium salts			
	97489-15-1	Acute Tox. 4; H302	<	5.00	wt%
	307-055-2	Eye Dam. 1; H318			
	-	Skin Irrit. 2; H315			
	01-2119489924-20	Aquatic Chronic 3; H412			
3	1-Propanaminium,	3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-			
	C8-18 (even numbe	ered) acyl derivs., hydroxides, inner salts			
	97862-59-4	Aquatic Chronic 3; H412	<	2.50	wt%
	931-296-8	Eye Dam. 1; H318			
	-				
	01-2119488533-30				
4	1,2-benzisothiazol-	-3(2H)-one	pls. ref	er to footnote (1)	
	2634-33-5	Acute Tox. 4*; H302	<	0.05	wt%
	220-120-9	Aquatic Acute 1; H400			
	613-088-00-6	Eye Dam. 1; H318			
	-	Skin Irrit. 2; H315			
		Skin Sens. 1; H317			
		Aquatic Chronic 2; H411			

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 10% Eye Dam. 1; H318: C >= 20%	-	-
2	-	Eye Irrit. 2; H319: C >= 10% Skin Irrit. 2; H315: C >= 10% Eye Dam. 1; H318: C >= 15% Acute Tox. 4; H302: C >= 60%	-	-
3	-	Eye Irrit. 2; H319: C >= 4% Eye Dam. 1; H318: C >= 10%	-	-
4	-	Skin Sens. 1; H317: C >= 0.05%	-	-

Acu	Acute toxicity estimate (ATE) values		
No	oral	dermal	inhalative
1	501 mg/kg bodyweight		
2	501 mg/kg bodyweight		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

In case of contact with skin wash off immediately with copious amounts of water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Nitrogen oxides

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

(NOx); Sulphur oxides (SxOy)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

N	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	Sulfuric acid, mono-C12-	14-alkyl esters, sodium sal	ts, bulk density >=400	85586-07-8

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

	g/l			287-809-4	
	dermal	Long term (chronic)	systemic	4060	mg/kg/day
	inhalative	Long term (chronic)	systemic	285	mg/m³
2	Sulfonic acids, C14-17-se	c-alkane, sodium salts		97489-15-1 307-055-2	
	dermal	Long term (chronic)	systemic	5	mg/kg/day
	dermal	Long term (chronic)	local	2.8	mg/cm ²
	dermal	Short term (acut)	local	2.8	mg/cm²
	inhalative	Long term (chronic)	systemic	35	mg/m³
3		no-N-(carboxymethyl)-N,N rivs., hydroxides, inner sa		97862-59-4 931-296-8	
	dermal	Long term (chronic)	systemic	12.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	44	mg/m³

DNEL value (consumer)

No	Substance name	Substance name		CAS / EC no	I.
	Route of exposure	Exposure time	Effect	Value	
1	Sulfuric acid, mono-C12-	14-alkyl esters, sodium sa	Its, bulk density >=400	85586-07-8	
	g/l			287-809-4	
	oral	Long term (chronic)	systemic	24	mg/kg/day
	dermal	Long term (chronic)	systemic	2440	mg/kg/day
	inhalative	Long term (chronic)	systemic	85	mg/m³
2	Sulfonic acids, C14-17-se	c-alkane, sodium salts		97489-15-1	
				307-055-2	
	oral	Long term (chronic)	systemic	7.1	mg/kg/day
	dermal	Long term (chronic)	systemic	3.57	mg/kg/day
	dermal	Long term (chronic)	local	2.8	mg/cm ²
	dermal	Short term (acut)	local	2.8	mg/cm ²
	inhalative	Long term (chronic)	systemic	12.4	mg/m³
3	1-Propanaminium, 3-amir	no-N-(carboxymethyl)-N,N-	dimethyl-, N-C8-18	97862-59-4	
	(even numbered) acyl dei	ivs., hydroxides, inner sal	ts	931-296-8	
	oral	Long term (chronic)	systemic	7.5	mg/kg/day
	dermal	Long term (chronic)	systemic	7.5	mg/kg/day

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	Sulfuric acid, mono-C12-14-alkyl ester g/l	s, sodium salts, bulk density >=400	85586-07-8 287-809-4	
	water	fresh water	0.131	mg/L
	water	marine water	0.0131	mg/L
	water	Aqua intermittent	0.036	mg/L
	water	fresh water sediment	4.61	mg/kg dry weight
	water	marine water sediment	0.461	mg/kg dry weight
	soil	-	0.846	mg/kg dry weight
	sewage treatment plant	-	1.35	mg/L
2	Sulfonic acids, C14-17-sec-alkane, soc	lium salts	97489-15-1 307-055-2	
	water	fresh water	0.04	mg/L
	water	marine water	0.004	mg/L
	water	Aqua intermittent	0.06	mg/L
	water	fresh water sediment	9.4	mg/kg dry weight
	water	marine water sediment	0.94	mg/kg dry weight

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

	soil	-	9.4	mg/kg dry weight
	sewage treatment plant	-	600	mg/L
	secondary poisoning	-	53.3	mg/kg food
3	1-Propanaminium, 3-amino-N-(carboxy	methyl)-N,N-dimethyl-, N-C8-18	97862-59-4	
	(even numbered) acyl derivs., hydroxid	des, inner salts	931-296-8	
	water	fresh water	0.013	mg/L
	water	marine water	0.001	mg/L
	water	fresh water sediment	1	mg/kg dry weight
	water	marine water sediment	0.1	mg/kg dry weight
	soil	-	0.8	mg/kg dry weight
	sewage treatment plant	-	3000	mg/L

8.2 **Exposure controls**

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl		
Material thickness	>	0.5	mm
Breakthrough time	>	120	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form/Colour		
liquid		
yellow		
Odour		
fruity		

KochChemie[°] ExcellenceForExperts.

ent version : 2.0.0, issued: 19.04.2021	Replace	ed version: 1.0.0,	issued: 15.05	5.2020	Regior
	•	,			
oH value					
No data available					
Boiling point / boiling range					
No data available					
Melting point/freezing point					
No data available					
Decomposition temperature					
No data available					
Flash point		000	*0		
/alue	>	93	°C		
gnition temperature					
No data available					
Flammability					
No data available					
Lower explosion limit					
No data available					
Upper explosion limit					
No data available					
Vapour pressure					
No data available					
Relative vapour density					
No data available					
Relative density					
No data available					
Density					
Value Poforonco tomporaturo		1.05	g/cm³ °C		
Reference temperature		20	°C		
Solubility					
No data available					
Partition coefficient n-octanol/water (log	value)			=	
No Substance name 1 Sulfuric acid, mono-C12-14-alkyl est	are sodium	CAS no. 85586-07-8		EC no. 287-809-4	
salts, bulk density >=400 g/l	ers, sourum	00000-07-0		207-003-4	
og Pow	<=		-2.42		
Reference temperature	0500 407		20	°C	
Method Source	OECD 107 ECHA				
2 Sulfonic acids, C14-17-sec-alkane, s		97489-15-1		307-055-2	
og Pow			0.2		
Reference temperature	02/00/550	A 0	20	C°	
Method Source	92/69/EEC ECHA	, A.ŏ			
/iscosity No data available					
Particle characteristics					
Particlo charactoristics					

Other information

KochChemie[®] ExcellenceForExperts.

Trade name: Gentle Snow Foam

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

- **10.2 Chemical stability** Stable under recommended storage and handling conditions (See section 7).
- **10.3 Possibility of hazardous reactions** Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid None, if handled according to intended use.

- 10.5 Incompatible materials None known.
- **10.6 Hazardous decomposition products** None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No	No Product Name			
1	Gentle Snow Foam			
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).		

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, salts, bulk density >=400 g/l	sodium	85586-07-8		287-809-4
LD5	0	501	-	1999	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	EU Method E	3.1		
Sour	ce	ECHA			
2	Sulfonic acids, C14-17-sec-alkane, sodiu	um salts	97489-15-1		307-055-2
LD5	0	500	-	2000	mg/kg bodyweight
Speo	cies	rat			
Method		OECD 401			
Sour	ce	ECHA			
Eval	uation/classification	Based on av	ailable data, the	classificatio	n criteria are met.
Acu	te dermal toxicity				
	lata available				
	te inhalational toxicity				
No c	lata available				
Skin	corrosion/irritation				
No	Substance name		CAS no.		EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, salts, bulk density >=400 g/l	sodium	85586-07-8		287-809-4

rabbit

		ame: Gentle Snow Foam					
Product no.: 383999 Replaced version: 1.0.0, issued: 15.05.2020 Region					Region: GB		
	Sour		ECHA				
		uation uation/classification	irritant Based on av	vailable data, the class	sification criteria are met.		
			Daseu oli a				
		ous eye damage/irritation Substance name		CAS no.	EC no.		
	1	Sulfonic acids, C14-17-sec-alkane, sodiu	um salts	97489-15-1	307-055-2		
	Spec		rabbit				
	Meth		OECD 405				
	Sour		ECHA				
		uation uation/classification	irritant Based on av	vailable data the clas	sification criteria are met.		
	L		Dascu on a				
		piratory or skin sensitisation					
	NO 1	Substance name Sulfuric acid, mono-C12-14-alkyl esters,	aadium	CAS no. 85586-07-8	EC no. 287-809-4		
		salts, bulk density >=400 g/l	soulum	05500-07-0	207-009-4		
		e of exposure	Skin				
	Spec		guinea pig				
	Sour	ce uation	ECHA	ing			
		uation	non-sensitiz		sification criteria are not me	t	
			Babba on a				
		n cell mutagenicity		CAS ===	FO ma		
	NO 1	Substance name Sulfuric acid, mono-C12-14-alkyl esters,	sodium	CAS no. 85586-07-8	EC no. 287-809-4		
		salts, bulk density >=400 g/l	sourum	0000-07-0	207-003-4		
L	Туре	e of examination	in vitro gene	e mutation study in ba	acteria		
	Spec		Salmonella typh. TA98, TA100, TA1535, TA1537, TA1538				
	Meth		OECD 471				
	Sour	uation/classification	ECHA Based on available data, the classification criteria are not met.				
		e of examination		e mutation study in ma			
	Spec			homa L5178Y cells			
	Meth		OECD 476				
	Sour	ce uation/classification	ECHA Bessed are av	vailable data the alas			
	Eval	uation/classification	based on a	Valiable data, the clas	sification criteria are not me	ι.	
		roduction toxicity					
		Substance name		CAS no.	EC no.		
	1	Sulfuric acid, mono-C12-14-alkyl esters, salts, bulk density >=400 g/l	sodium	85586-07-8	287-809-4		
1	Rout	te of exposure	oral				
		of examination	Prenatal De	velopmental Toxicity	Study		
	Spec		rat				
	Meth		OECD 414				
	Sour	ce uation/classification	ECHA Based on av	vailable data the clas	sification criteria are not me	+	
					ι		
Carcinogenicity							
	NO 1	Substance name	aadium	CAS no. 85586-07-8	EC no. 287-809-4		
1 Sulfuric acid, mono-C12-14-alkyl esters, sodium 85586-07-8 287-809-4 salts, bulk density >=400 g/l							
Source ECHA / Read across							
	Eval	uation/classification	Based on a	ailable data, the clas	sification criteria are not me	t.	
	STO	T - single exposure					
		lata available					
	STO	T - repeated exposure					
No data available							
	<u> </u>						

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

Aspiration hazard No data available

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	city to fish (acute)					
No	Substance name		CAS no.		EC no.	
1	Sulfuric acid, mono-C12-14-alkyl esters,	sodium	85586-07-8		287-809-4	
	salts, bulk density >=400 g/l					
LC5	0			3.6	mg/l	
Dura	ation of exposure			96	h	
Spe	cies	Oncorhynch	nus mykiss			
Metl	nod	OECD 203				
Sou		ECHA				
2	Sulfonic acids, C14-17-sec-alkane, sodiu	um salts	97489-15-1		307-055-2	
LC5	0			8.4	mg/l	
	ation of exposure			96	h	
Spe			dus melanotus			
Met	nod	440/2008/E	C C.1.			
Sou	rce	ECHA				
Tox	city to fish (chronic)					
	Substance name		CAS no.		EC no.	
1	Sulfonic acids, C14-17-sec-alkane, sodiu	um salts	97489-15-1		307-055-2	
NOE	C			1.4	mg/l	
Spe	cies	Oncorhynch	nus mykiss			
Metl	nod	OECD 204				
Sou	rce	ECHA				
Tox	city to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	Sulfuric acid, mono-C12-14-alkyl esters,	sodium	85586-07-8		287-809-4	
	salts, bulk density >=400 g/l					
EC5				4.7	mg/l	
Dura	ation of exposure			48	h	

Duration of exposure		- 0	11
Species	Daphnia magna		
Method	EC 92/69		
Source	ECHA		
2 Sulfonic acids, C14-17-sec-alkane, sodiu	um salts 97489-15-1	÷	307-055-2
EC50		7.26	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Tox	Toxicity to Daphnia (chronic)					
No	Substance name		CAS no.		EC no.	
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2	
NOEC				1.0	mg/l	
Species		Daphnia m	lagna			

Trade name: Gentle Snow Foam Product no.: 383999 Current version : 2.0.0, issued: 19.04.2021 Replaced version: 1.0.0, issued: 15.05.2020 Region: GB **OECD 202** Method ECHA Source Toxicity to algae (acute) No Substance name CAS no. EC no. 1 Sulfonic acids, C14-17-sec-alkane, sodium salts 97489-15-1 307-055-2 EC50 100 mg/l Duration of exposure 72 h Species Scenedesmus subspicatus Method **OECD 201** ECHA Source Toxicity to algae (chronic) No data available **Bacteria toxicity** No data available 12.2 Persistence and degradability **Biodegradability** No Substance name CAS no. EC no. 287-809-4 1 Sulfuric acid, mono-C12-14-alkyl esters, sodium 85586-07-8

salts, bulk density >=400 g/l		
Туре	aerobic biodegradation	
Value	90 - 100 %	
Duration	28 day(s)	
Method	OECD 301 D	
Source	ECHA	
Evaluation	readily biodegradable	

12.3 Bioaccumulative potential

Part	ition coefficient n-octanol/water (log valu	le)				
No	Substance name		CAS no.		EC no.	
1	Sulfuric acid, mono-C12-14-alkyl esters salts, bulk density >=400 g/l	, sodium	85586-07-8		287-809-4	
log F	Pow	<=		-2.42		
Refe	rence temperature			20	°C	
Meth	Method					
Sour	ce	ECHA				
2	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2	
log F	Pow			0.2		
Refe	rence temperature			20	°C	
Meth	nod	92/69/EEC,	A.8			
Sour	ce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Product no.: 383999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 15.05.2020

Region: GB

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII. No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763600