

Revision Date:- 26-11-2019

ACCORDING TO US CFR 1910.1200

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Wowo's Quick Detailer

CAS No. Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Car Care Product

Cleaning Product

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer:-

Company Identification Detailing Factory Ltd Address of Manufacturer Unit 3 Block C

Kelburn Business Park

 Zip code
 PA14 6TD

 Telephone:
 03451 930390

 Fax
 Not known.

 E-mail
 sales@wowos.co.uk

 Office hours
 09:00 - 17:00

Supplier:-

Company Identification CarCareCo Pty Ltd
Address of Supplier 1/10 Access Way
Carrum Downs VIC

Postcode 3201

Telephone: 1300 323 150

E-mail sales@carcareco.com.au

Emergency Phone No. 131126



Revision Date:- 26-11-2019

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

US CFR 1910.1200 Eye Irrit. 2A: Causes serious eye irritation.

2.2 Label elements

According to US CFR 1910.1200

Product Name Wowo's Quick Detailer

Hazard Pictogram(s)



Signal Word(s) Warning

Hazard Statement(s) H319: Causes serious eye irritation.

Precautionary Statement(s) P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.



Revision Date: - 26-11-2019

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
propan-2-ol isopropyl alcohol isopropanol	67-63-0			GHS02 GHS07
Polymer			Not classified Eye Dam. 1 H318	GHS05

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Treat symptomatically. Skin Contact Treat symptomatically.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.



Revision Date: - 26-11-2019

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face

protection.

6.2 Environmental precautions

This material and its container must be disposed of in a safe way.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a

container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Wash hands and exposed skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

7.3 Specific end use(s)

Car Care Product Cleaning Product

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits								
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note		
Isopropyl alcohol	67-63-0	400	980			OSHA PEL		
Isopropyl alcohol	67-63-0	400	980	500	1225	Z-1 OSHA PEL		
	67-63-0	400		500		NIOSH REL Z-1		
2-Propanol (Isopropanol; Isopropyl alcohol)	67-63-0	200	492	400	984	ACGIH TLV		



Revision Date: - 26-11-2019

Remark

OSHA PEL Z-1 OSHA PEL NIOSH REL Z-1

Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) from 29 CFR 1910.1000 Z-1 Table Occupational Safety and Health (OSHA) Permissible Exposure Limits (PELs).

National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (RELs) from the NIOSH Pocket Guide to Chemical Hazards table Z-1: Up to 10-hour time weighted average (TWA) during a 40-hour work week

The American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®) 2018

ACGIH TLV

Biological Exposure Indices								
Substances	CAS Number	Sampling		Control parameters	Biological monitoring guidance value	Comments		
2-Propanol		End of shift at end of workweek	urine	Acetone	40 mg/L	B, Ns		

Remark Notes

Background В Ns Nonspecific

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.



Revision Date: - 26-11-2019

Revision: 1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour: Blue.

Odour Fruity. Odour threshold Not known. Not known. Melting point/freezing point Not known. Initial boiling point and boiling range Not known. Flash Point Not known. Evaporation rate Not known. Flammability (solid, gas) Not known. Upper/lower flammability or explosive Not known.

limits

Vapour pressure
Vapour density
Density (g/ml)
Relative density
Not known.
Not known.
Not known.

Solubility (ies) Soluble: Solubility (Water): Soluble. Solubility (Other): Not known.

Partition coefficient: n-octanol/water Not known. Autoignition temperature Not known. Decomposition Temperature (°C) Not known. Viscosity Not known. Explosive properties Not known. Oxidising properties Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability
Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.



Revision Date: - 26-11-2019

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion

Acute toxicity - Skin Contact

Acute toxicity - Inhalation

Skin corrosion/irritation

Not classified.

Not classified.

Not classified.

Serious eye damage/irritation Calculation method: Causes serious eye irritation.

Skin sensitization data Not classified. Respiratory sensitization data Not classified. Germ cell mutagenicity Not classified. Not classified. Carcinogenicity Reproductive toxicity Not classified. Lactation Not classified. STOT - single exposure Not classified. STOT - repeated exposure Not classified. Aspiration hazard Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish

Toxicity - Algae

Toxicity - Sediment Compartment

Toxicity - Terrestrial Compartment

Low toxicity to fish.

Low toxicity to algae.

Not classified.

12.2 Persistence and Degradation

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Other adverse effects

Not known.



Revision Date: - 26-11-2019

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Toxic and hazardous substances (29

CFR 1910; Subpart Z)

National emission standards for

hazardous air pollutants (40 CFR 61.01)

SARA Title III Section 313

TSCA (Toxic Substance Control Act)

CAA 602 - Ozone Depleting Substances Not listed

(ODS)

15.2 US State Regulations State Right to Know Lists

Proposition 65 (California) Minnesota New Jersey

Listed: 67-63-0

Not listed

Not listed Listed: 67-63-0 (Active), 7732-18-5 (Active)

Not listed Listed: 67-63-0 Listed: 67-63-0



Revision Date: - 26-11-2019

Pennsylvania Listed: 67-63-0 Rhode Island Listed: 67-63-0

15.3 Other

OSPAR List of Chemicals for Priority Action

OSHA (List of Highly Hazardous Chemicals, Toxics and Reactives)

NTP (National Toxicology Program)

IARC (International Agency for Research on Cancer)

Listed: 67-63-0

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS02: GHS: Flame GHS05: GHS: Corrosion

Hazard classification Flam. Liq. 2: Flammable liquid, Category 2

Eye Dam. 1: Serious eye damage/irritation, Category 1 Eye Irrit. 2A: Serious eye damage/irritation, Category 2A Eye Irrit. 2B: Serious eye damage/irritation, Category 2B

STOT SE 3_H336: Specific target organ toxicity — single exposure, Category 3

Not listed

Not listed

Not listed

Liq. Static: Static Accumulating Flammable Liquids

Hazard Statement(s) H225: Highly flammable liquid and vapour.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H320: Causes eye irritation.

H336: May cause drowsiness or dizziness.

HCS006: Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May

cause flash fire or explosion.

Precautionary Statement(s) P264: Wash hands and exposed skin thoroughly after handling.



Acronyms

Disclaimers

SAFETY DATA SHEET

Revision Date:- 26-11-2019

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

CAS: Chemical Abstracts Service

LTEL: Long term exposure limit STEL: Short term exposure limit

STOT: Specific Target Organ Toxicity

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Detailing Factory Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Detailing Factory Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under

Patents, Copyright and Designs cannot be assumed.